With a TV like this,
being comfortable has never been so easy

Samsung Hospitality TV

To learn more about Samsung Hospitality TVs,
please visit www.samsung.com/hospitality

SAMSUNG

TURN ON TOMORROW

Hospitality tv
welcome your guests to the future

SAMSUNG

TURN ON TOMORROW

# Designing the future

Samsung understands that there's more to owning a TV that performs well. It's also a reflection of you. That's why Samsung has been at the forefront of the industry with its revolutionary approach which has yet to be replicated. With critically acclaimed designs and innovative use of cutting-edge technology, Samsung has successfully claimed the number one position in the TV industry—and has no intentions of slowing down.

# Gentler on the planet for greater peace of mind

Designing environmentally friendly products has always been at the core of Samsung's philosophy. And because we're creating TVs in large quantities for places like hotels, it's even more important that we take our responsibility seriously. With energy-efficient LED backlight technology at the core of our Hospitality TVs, we've drastically reduced the impact our partners around the world have on the environment. Plus, using LED backlights means fewer components and less harmful materials. So you can feel good about watching your Samsung LED Hospitality TV, no matter where you are in the world.

Planet First™

SAMSUNG

# Inspired by beauty

Now you can finally experience what luxury feels like with the LED Hospitality TV from Samsung. Our forward-thinking design approach has captured the attention of a worldwide audience and is pushing the industry into new territories. That has become evident by the fact that some of the world's premium hospitality brands are partnering with Samsung to create some of the most breathtaking interiors. The Hospitality TV skillfully combines the cutting-edge features of LED technology with the craftsmanship of an artist. The ultra-thin Touch of Nature design draws upon inspirations from nature to perfectly complement and blend in with almost any décor.

SLIM

SAMSUNG

# Samsung Hospitality TV

## Internet @ Hotel? Internet @ TV!

For the first time ever, Samsung has integrated their innovative Internet @ TV feature into their new line of Hospitality TVs. Created by using the Samsung Application Engine and Yahoo! ® Engine, the easy-to-use Internet @ TV feature lets you access online content like Yahoo!®, YouTube, Facebook and Flickr®. In addition, Samsung's ConnectShare™ Movie capability will transform your TV into a home entertainment center. Simply plug in your USB memory drive or HDD to enjoy movies, photos, music and more. So expand your entertainment choices by simply turning on your Hospitality TV.

# An upscale environment for your guests

## Attention to details

In the service industry, the customer is king. That's why Samsung has created a new line of TVs specifically for hotels. The Hospitality TV combines the features and benefits of TVs found in any modern home with the versatility and convenience that look for in the product. So not only do our Hospitality TVs meet and even exceed the demands of your guest, but they cater to your needs as well.

### Built-in PMOLED Clock

The exterior of the Samsung Hospitality TV is integrated with an easy-to-read PMOLED clock.
The PMOLED clock also has a back-up power supply so your guests don't have to worry about the power going out in the middle of the night. This allows for the clock to accurately run without any external power for up to 72 hours.

### Bathroom Speaker

With the Samsung Hospitality TV, you can connect the sound to other parts of the room so your guests can listen to whatever's playing on the TV. So if they're in the bathroom, they can enjoy listening to music or hearing the dialogue of a show. Plus, the speaker volume can be pre-set or adjusted according to each guest's preferences.

### Music Mode

The Samsung Hospitality TV is more than just a television. For guests who prefer to listen to the radio, all they have to do is turn on their TV. The Hospitality TVs are built with an internal radio transmitter so it can pick up the signals from radio stations that are within range of your hotel.

### Jack Pack Compatibility

Your guests typically carry a wide variety of electronic devices ranging from MP3 players to digital cameras. The Samsung Jack Pack solution provides them with a convenient and streamlined way to simultaneously connect an assortment of devices to their TV. The Jack Pack works be detecting the connection interface and then automatically converts it to an optimized source. So now every input from the Jack Pack is transmitted as an HDMI output.

# Protecting your interests

When designing the Samsung Hospitality TV, we didn't forget about our customer: you. Just like you work hard to please your guest, we work just as hard to please you. With that in mind, we included a number of customer-friendly features to ensure your interests were top-of-mind

## USB Cloning Device

To help you work more efficiently, the innovative, built-in USB Cloning Device allows you to easily customize and then copy the settings onto all of your TVs, instead of doing this individually. That includes hotel logos, picture size, speaker volume and even DTV channels.



Setting A                    Setting A

## Hotel Logo Display

To provide your guests with a constant, yet subtle, reminder of your property our TV has the ability to display your logo on the TV screen for 3-7 seconds (this time is adjustable) once the TV is turned on. This helps to generate awareness and reinforce your brand. The logos can be uploaded as bitmap and avi files onto the TV and can easily be cloned with the USB Cloning Device.

*C452/C453/C457, C4000 : Bitmap files, C6000 : AVI files

## Fire-resistant Casing

To help prevent the deadly damages from a fire, the casings for every Samsung Hospitality TV use a flame retardant material. This life-saving material is able to withstand extremely high temperatures and help protect lives and your property.

## Anti-theft Battery Cover

Replacing stolen batteries can become costly over time. That's why our remote controls are designed with special battery covers that are screwed on. So the cover can only be removed with a special screwdriver once the batteries need to be replaced.



Hole for screw
in the body of the controller

## Multi-code Remote

A useful feature of the Samsung Hospitality TV is its ability to support multi-code remote controllers. This feature is particularly useful in situations where there are multiple users in the same room, like a gym, so up to 10 different TVs can be controlled individually.



## Easy Installation & Setup

Installation of your new Samsung Hospitality TV is a snap with the easy-to-use onscreen instructions that guide you through the entire process. These step-by-step instructions appear on the screen as soon as the TV is turned on. The instructions are also flexible enough to accommodate additional installation modes and processes for easy customization.



## Set Back Box Power Supply

The new line of Samsung Hospitality TVs is capable of supplying power to the set back box located on the back of the TV. So you no longer need to purchase an adapter to power your TVs. The result is a cost-effective TV packaged within a streamlined design.

## Hygienic Remote

Hospitals have special needs when it comes to remote controls. The number one goal of every hospital is the desire to minimize the spread and growth of bacteria. The new Samsung Remote for Hospitals is designed with an anti-bacterial surface which is simple to clean. Unlike conventional remotes which have gaps in between the buttons, this new remote is completely smooth so hygiene is a priority. The simple, white design also complements the hospital's décor.

# Product line-up

## Your customers and their guests deserve the best

Our Hospitality TVs are as diverse as the environments that they live in. That's why we've developed a wide range of models from you to choose from. Whether you're catering to the most discriminating clientele or to a family enjoying their vacation, our Hospitality TVs are designed to meet an entire spectrum of needs and tastes.

**26"**

**32"**

**40"**

**46"**

SERIES 4

SERIES 6

**19"**
Color_White
Black

**22"**
Color_White
Black

**26"**
Color_White
Black

**32"**
Color_White
Black

**37"**
Color_Black

**40"**
Color_Black

SERIES 4

**22"**

**26"**

**32"**

SERIES 3

## LED TV SERIES 6 6000 40"/ 46"

### Beauty is all around us

Just like the beauty that can be found in nature, the Samsung LED TV 6000 Series is inspired by what's around us. From the simple, yet detailed, lines found in wood grains to the beauty of a water-worn stone, the 6000 Series line up will be sure to capture the imagination of the designer in all of us.

**Hospitality Feature**
- Hotel Logo(AVI file)
- Bathroom Speaker Out
- Jack Pack Compatible (TeleAdapt)

**TV Generic Feature**
- Hyper Real Engine
- Full HD
- Internet@TV
- ConnectShare™ Movie

| Model | LED TV SERIES 6 6000 | |
|---|---|---|
| | 40" | 46" |
| **Basic Info** | | |
| Model Code | UE40C6000RH | UE46C6000RH |
| **Video** | | |
| HD/FHD | Full HD | Full HD |
| Resolution | 1920 X 1080 | 1920 X 1080 |
| Response Time | 4ms | 5.5ms |
| Viewing angle (H/V) | 178/178 | 178/178 |
| Backlight | LED | LED |
| Dynamic Contrast Ratio | 5,000,000:1 | 5,000,000:1 |
| Brightness | 450cd/m² | 450cd/m² |
| **Audio** | | |
| Output | 2 X 10W | 2 X 10W |
| Dolby | Dolby Digital Plus / Dolby Pulse | Dolby Digital Plus / Dolby Pulse |
| Surround | SRS TheaterSound | SRS TheaterSound |
| Headphone Out | 10mW Max | 10mW Max |
| Bathroom Speaker Out | 2.5W Mono | 2.5W Mono |
| **Feature** | | |
| Picture Engine | HyperReal Engine | HyperReal Engine |
| Sleep Timer | Yes | Yes |
| Auto TV On | Yes | Yes |
| Teletext | 1000P Mega TTX | 1000P Mega TTX |
| Internet@TV | Yes | Yes |
| ConnectShare™ Movie | Movie | Movie |
| Auto Channel Search | Yes | Yes |
| Auto Volume Leveller | Yes | Yes |
| Swivel (left/right) | Yes | Yes |
| OSD Language | 25 Languages (Europe) | 25 Languages (Europe) |
| **Input & Output (SIDE)** | | |
| Headphone | - | - |
| S-Video | - | - |
| Composite AV | - | - |
| USB | - | - |
| CI Slot | - | - |
| HDMI | - | - |
| **Input & Output (REAR)** | | |
| RF Input | 1 | 1 |
| Component (Y/Pb/Pr) | 1 | 1 |
| Headphone (Earphone) | 1 | 1 |
| Scart | 1 | 1 |
| Composite (AV) | 1 | 1 |
| HDMI | 2 | 2 |
| CI Slot | 1 | 1 |
| USB | 1 | 1 |
| PC D-sub | 1 | 1 |
| PC Audio Jack | 1 | 1 |
| Audio Out (line Out) | 1 | 1 |
| Audio Out (Variable Out) BathroomSPK | 1 | 1 |
| Optical sound out | - | 1 |
| RJ12 For External Control | 1 | 1 |
| DC-out Jack | No | No |
| **Hospitality Feature** | | |
| Hotel Mode | Yes | Yes |
| Hotel Mode Plug & Play | Yes | Yes |
| Music Mode (Input: PC/AV/Component) | Yes | Yes |
| Music Mode Backlight on/off | Yes | Yes |
| Audio Loop in (Headphone extension) | Yes | Yes |
| 12V and 5V Power Supply for Set Top box | | |
| Hotel TV (RJ12 / IR pass through) | Interactive | Interactive |
| Clock (PMOLED Type) | - | - |
| PMOLED Clock Dimming Control | - | - |
| PMOLED Clock Back Up Supply | - | - |
| TTX Clock Update (Analogue) | - | - |
| Power On Status Setting (Master) | Yes | Yes |
| Jack Pack Compatiblity | Yes | Yes |
| USB Cloning | Yes | Yes |
| Bathroom Speaker output | Yes | Yes |
| Multi Code Remote | No | No |
| Screwed Battery Cover | Yes | Yes |
| Channel List | Standalone | Standalone |
| Alarm Key | Standalone | Standalone |
| Mixed channel list (DVB T/C) | Standalone | Standalone |
| Hotel logo display with time out setting | Yes | Yes |
| Auto PC mode | Yes | Yes |
| Energy Saving Mode (BLU control) | Yes | Yes |
| **Dimension** | | |
| Weight (Set) With Stand | 15.1 | 20.8 |
| Weight (Set) Without Stand | 12.4 | 16.1 |
| Dimensions (WxDxH)mm With Stand | 961 X 257.2 X 650 | 1096 X 277.2 X 724 |
| Dimensions (WxDxH)mm Without Stand | 961 X 29.9 X 585 | 1096 X 29.9 X 659 |
| **Accessory** | | |
| Remote Control | Yes | Yes |
| Seamless RC (White Remote) | - | - |
| Installation manual (Quick guide) | Yes | Yes |
| Batteries, AAA type | Yes | Yes |
| ANT- Cable | No | No |
| RJ 12 Cable | Yes | Yes |
| Power Cable | Yes | Yes |
| **VESA** | | |
| Dimensions (mm) | 400 X 400 | 400 X 400 |
| Screw Size | M8 | M8 |
| **System** | | |
| DTV Reception (DVB-T/T2/C/S2) | DVB-T/C | DVB-T/C |
| **Power** | | |
| Power | AC220-240V 50Hz | AC220-240V 50Hz |
| Power Consumption (Watts) | 140W | 150W |
| Standby Power Consumption (Watts) | 0.06W | 0.06W |
| **Energy Saving Mode Power Consumption (Watts)** | | |
| Off (Watts) | 95 | 105 |
| Low | 67 | 74 |
| Medium | 57 | 61 |
| High | 43 | 46 |
| **Security** | | |
| Kensington Lock | Yes | Yes |

# LED TV SERIES 4 4000 26"/32"

## Own a piece of luxury, without the price tag

For Samsung, luxury is not only for the privileged. The LED TV 4000 offers the best of the best without emptying your wallet. Like the other models, the marriage of modern design and cutting-edge technology sits at the core of the 4000 Series. It even includes advanced features such as HD connectivity and online content access, guaranteed to enhance your entertainment experience.

**Hospitality Feature**
• Hotel Logo (BMP)
• Jack Pack Compatible (TeleAdapt)

**TV Generic Feature**
• DNIe™
• HD
• ConnectShare™ Movie

| Model | LED TV SERIES 4 4000 | |
|---|---|---|
| | 26" | 32" |
| **Basic Info** | | |
| Model Code | UE26C4000PH | UE32C4000PH |
| **Video** | | |
| HD/FHD | HD Ready | HD Ready |
| Resolution | 1366 X 768 | 1366 X 768 |
| Response Time | 4.5ms | 4.5ms |
| Viewing angle (H/V) | 178/178 | 178/178 |
| Backlight | LED | LED |
| Dynamic Contrast Ratio | 2,000,000:1 | 2,000,000:1 |
| Brightness | 400cd/m$^2$ | 400cd/m$^2$ |
| **Audio** | | |
| Output | 2 X 5W | 2 X 10W |
| Dolby | Dolby Digital Plus / Dolby Pulse | Dolby Digital Plus / Dolby Pulse |
| Surround | No | No |
| Headphone Out | 10mW Max | 10mW Max |
| Bathroom Speaker Out | - | - |
| **Feature** | | |
| Picture Engine | DNIe+ | DNIe+ |
| Sleep Timer | Yes | Yes |
| Auto TV On | Yes | Yes |
| Teletext | 1000P Mega TTX | 1000P Mega TTX |
| Internet@TV | No | No |
| ConnectShare™ Movie | Movie | Movie |
| Auto Channel Search | Yes | Yes |
| Auto Volume Leveller | Yes | Yes |
| Swivel (left/right) | No | No |
| OSD Language | 25 Languages (Europe) | 25 Languages (Europe) |
| **Input & Output (SIDE)** | | |
| Headphone | - | - |
| S-Video | - | - |
| Composite AV | - | - |
| USB | - | - |
| CI Slot | - | - |
| HDMI | - | - |
| **Input & Output (REAR)** | | |
| RF Input | 1 | 1 |
| Component (Y/Pb/Pr) | 1 | 1 |
| Headphone (Earphone) | - | - |
| Scart | 1 | 1 |
| Composite (AV) | 1 | 1 |
| HDMI | 2 | 2 |
| CI Slot | 1 | 1 |
| USB | 1 | 1 |
| PC D-sub | 1 | 1 |
| PC Audio Jack | 1 | 1 |
| Audio Out (line Out) | - | - |
| Audio Out (Variable Out) BathroomSPK | - | - |
| Optical sound out | - | - |
| RJ12 For External Control | 1 | 1 |
| DC-out Jack | No | No |
| **Hospitality Feature** | | |
| Hotel Mode | Yes | Yes |
| Hotel Mode Plug & Play | Yes | Yes |
| Music Mode (Input: PC/AV/Component) | Yes | Yes |
| Music Mode Backlight on/off | Yes | Yes |
| Audio Loop in (Headphone extension) | No | No |
| 12V and 5V Power Supply for Set Top box | - | - |
| Hotel TV (RJ12 / IR pass through) | Interactive | Interactive |
| Clock (PMOLED Type) | - | - |
| PMOLED Clock Dimming Control | - | - |
| PMOLED Clock Back Up Supply | - | - |
| TTX Clock Update (Analogue) | - | - |
| Power On Status Setting (Master) | Yes | Yes |
| Jack Pack Compatiblity | Yes | Yes |
| USB Cloning | Yes | Yes |
| Bathroom Speaker output | No | No |
| Multi Code Remote | Yes | Yes |
| Screwed Battery Cover | Yes | Yes |
| Channel List | Standalone | Standalone |
| Alarm Key | Standalone | Standalone |
| Mixed channel list (DVB T/C) | Standalone | Standalone |
| Hotel logo display with time out setting | Yes | Yes |
| Auto PC mode | Yes | Yes |
| Energy Saving Mode (BLU control) | Yes | Yes |
| **Dimension** | | |
| Weight (Set) With Stand | 6.2 | 9.2 |
| Weight (Set) Without Stand | 5.5 | 8.4 |
| Dimensions (WxDxH)mm With Stand | 652.8 X 212 X 479.8 | 774.6 X 255 X 549.1 |
| Dimensions (WxDxH)mm Without Stand | 652.8 X 29.9 X 422.8 | 774.6 X 29.9 X 491.8 |
| **Accessory** | | |
| Remote Control | - | - |
| Seamless RC (White Remote) | - | - |
| Installation manual (Quick guide) | Yes | Yes |
| Batteries, AAA type | Yes | Yes |
| ANT- Cable | No | No |
| RJ 12 Cable | Yes | Yes |
| Power Cable | Yes | Yes |
| **VESA** | | |
| Dimensions (mm) | 200 X 100 | 200 X 200 |
| Screw Size | M8 | M8 |
| **System** | | |
| DTV Reception (DVB-T/T2/C/S2) | DVB-T/C | DVB-T/C |
| **Power** | | |
| Power | AC220-240V 50/60Hz | AC220-240V 50/60Hz |
| Power Consumption (Watts) | 65W | 100W |
| Standby Power Consumption (Watts) | 0.24W | 0.22W |
| **Energy Saving Mode Power Consumption (Watts)** | | |
| Off (Watts) | 45 | 59 |
| Low | 34 | 43 |
| Medium | 30 | 36 |
| High | 25 | 29 |
| **Security** | | |
| Kensington Lock | Yes | Yes |

Planet First  HDTV  DNIe+  Mega dynamic contrast  Movie  Anynet+

# LCD TV SERIES 4 457 22"/ 26"/ 32"/ 37"/ 40"

## The obvious choice for HDTV

For a sensible alternative, the Samsung LCD TV 4 Series 457 makes all the sense in the world. With its unrivalled HD picture quality, the 4 Series 457 is much more than just a television. It's a business tool that delivers every feature your guests desire, with the added bonus of meeting your needs as well. That means happy guests. And happy guest means repeat business.

### Hospitality Feature
- Built in PMOLED Clock (12/24 HR Type)
- Bathroom Speaker Out
- Power Supply for SBB (5V, 12V Optional)
- Jack Pack Compatible (TeleAdapt)

### TV Generic Feature
- Full HD(37"/40")
- HD(22"/26"/32")
- Hyper Real Engine(37"/40")
- DNIe™(22"/26"/32")
- ConnectShare™ Movie

| Model | LCD TV SERIES 4 457 | | | | |
|---|---|---|---|---|---|
| | 22" | 26" | 32" | 37" | 40" |
| **Basic Info** | | | | | |
| Model Code | LE22C457C6H | LE26C457C6H | LE32C457C6H | LE37C457C6H | LE40C457C6H |
| **Video** | | | | | |
| HD/FHD | HD | HD | HD | Full HD | Full HD |
| Resolution | 1366 X 768 | 1366 X 768 | 1366 X 768 | 1920 X 1080 | 1920 X 1080 |
| Response Time | 5ms | 8ms | 6.5ms | 6.5ms | 6ms |
| Viewing angle (H/V) | 170/170 | 178/178 | 178/178 | 178/178 | 178/178 |
| Backlight | CCFL | CCFL | CCFL | CCFL | CCFL |
| Dynamic Contrast Ratio | 20,000:1 | 40,000:1 | 60,000:1 | 120,000:1 | 120,000:1 |
| Brightness | 350cd/m² | 400cd/m² | 450cd/m² | 500cd/m² | 500cd/m² |
| **Audio** | | | | | |
| Output | 2 X 3W | 2 X 5W | 2 X 10W | 2 X 10W | 2 X 10W |
| Dolby | Dolby Digital Plus / Dolby Pulse | Dolby Digital Plus / Dolby Pulse | Dolby Digital Plus / Dolby Pulse | Dolby Digital Plus / Dolby Pulse | Dolby Digital Plus / Dolby Pulse |
| Surround | No | No | No | No | No |
| Headphone Out | 10mW Max | 10mW Max | 10mW Max | 10mW Max | 10mW Max |
| Bathroom Speaker Out | | 2.5W Mono | 2.5W Mono | 2.5W Mono | 2.5W Mono |
| **Feature** | | | | | |
| Picture Engine | DNIe+ | DNIe+ | DNIe+ | HyperReal Engine | HyperReal Engine |
| Sleep Timer | Yes | Yes | Yes | Yes | Yes |
| Auto TV On | Yes | Yes | Yes | Yes | Yes |
| Teletext | 1000P Mega TTX | 1000P Mega TTX | 1000P Mega TTX | 1000P Mega TTX | 1000P Mega TTX |
| Internet@TV | No | No | No | No | No |
| ConnectShare™ Movie | Movie | Movie | Movie | Movie | Movie |
| Auto Channel Search | Yes | Yes | Yes | Yes | Yes |
| Auto Volume Leveller | Yes | Yes | Yes | Yes | Yes |
| Swivel (left/right) | No | Yes | Yes | Yes | Yes |
| OSD Language | 25 Languages (Europe) | 25 Languages (Europe) | 25 Languages (Europe) | 25 Languages (Europe) | 25 Languages (Europe) |
| **Input & Output (SIDE)** | | | | | |
| Headphone | - | - | - | - | - |
| S-Video | - | - | - | - | - |
| Composite AV | - | 1 | 1 | 1 | 1 |
| USB | - | 1 | 1 | 1 | 1 |
| CI Slot | 1 | 1 | 1 | 1 | 1 |
| HDMI | - | 1 | 1 | 1 | 1 |
| **Input & Output (REAR)** | | | | | |
| RF Input | 1 | 1 | 1 | 1 | 1 |
| Component (Y/Pb/Pr) | 1 | 1 | 1 | 1 | 1 |
| Headphone (Earphone) | 1 | 1 | 1 | 1 | 1 |
| Scart | 1 | 1 | 1 | 1 | 1 |
| Composite (AV) | - | - | - | - | - |
| HDMI | 1 | 2 | 2 | 2 | 2 |
| CI Slot | 1 | - | - | - | - |
| USB | 1 | - | - | - | - |
| PC D-sub | 1 | 1 | 1 | 1 | 1 |
| PC Audio Jack | 1 | 1 | 1 | 1 | 1 |
| Audio Out (line Out) | - | 1 | 1 | 1 | 1 |
| Audio Out (Variable Out) BathroomSPK | - | 1 | 1 | 1 | 1 |
| Optical sound out | - | - | - | 1 | 1 |
| RJ12 For External Control | 1 | 1 | 1 | 1 | 1 |
| DC-out Jack | - | - | - | Yes | Yes |
| **Hospitality Feature** | | | | | |
| Hotel Mode | Yes | Yes | Yes | Yes | Yes |
| Hotel Mode Plug & Play | Yes | Yes | Yes | Yes | Yes |
| Music Mode (Input: PC/AV/Component) | Yes | Yes | Yes | Yes | Yes |
| Music Mode Backlight on/off | Yes | Yes | Yes | Yes | Yes |
| Audio Loop in (Headphone extension) | - | Yes | Yes | Yes | Yes |
| 12V and 5V Power Supply for Set Top box | - | Interactive | Interactive | Interactive | Interactive |
| Hotel TV (RJ12 / IR pass through) | Interactive | Interactive | Interactive | Interactive | Interactive |
| Clock (PMOLED Type) | Yes | Yes | Yes | Yes | Yes |
| PMOLED Clock Dimming Control | Yes | Yes | Yes | Yes | Yes |
| PMOLED Clock Back Up Supply | Yes | Yes | Yes | Yes | Yes |
| TTX Clock Update (Analogue) | Yes | Yes | Yes | Yes | Yes |
| Power On Status Setting (Master) | Yes | Yes | Yes | Yes | Yes |
| Jack Pack Compatiblity | No | Yes | Yes | Yes | Yes |
| USB Cloning | Yes | Yes | Yes | Yes | Yes |
| Bathroom Speaker output | - | Yes | Yes | Yes | Yes |
| Multi Code Remote | Yes | Yes | Yes | Yes | Yes |
| Screwed Battery Cover | Yes | Yes | Yes | Yes | Yes |
| Channel List | Standalone | Standalone | Standalone | Standalone | Standalone |
| Alarm Key | Standalone | Standalone | Standalone | Standalone | Standalone |
| Mixed channel list (DVB T/C) | Standalone | Standalone | Standalone | Standalone | Standalone |
| Hotel logo display with time out setting | Yes | Yes | Yes | Yes | Yes |
| Auto PC mode | Yes | Yes | Yes | Yes | Yes |
| Energy Saving Mode (BLU control) | Yes | Yes | Yes | Yes | Yes |
| **Dimension** | | | | | |
| Weight (Set) With Stand | 6.8 | 8.5 | 10.7 | 15.4 | 16.7 |
| Weight (Set) Without Stand | 5.4 | 7.1 | 9.1 | 12 | 13.4 |
| Dimensions (WxDxH)mm With Stand | 557.8 X 215.9 X 425.9 | 669.7 X 215.9 X 495.1 | 799.6 X 252 X 577 | 916.4 X 300 X 658.6 | 989.8 X 300 X 696.1 |
| Dimensions (WxDxH)mm Without Stand | 557.8 X 75.5 X 384.1 | 669.7 X 75.3 X 455.0 | 799.6 X 84.8 X 530.5 | 916.4 X 93.3 X 605.3 | 989.8 X 93.4 X 642.8 |
| **Accessory** | | | | | |
| Remote Control | Yes | Yes | Yes | Yes | Yes |
| Seamless RC (White Remote) | - | - | - | - | - |
| Installation manual (Quick guide) | Yes | Yes | Yes | Yes | Yes |
| Batteries, AAA type | Yes | Yes | Yes | Yes | Yes |
| ANT- Cable | No | No | No | No | No |
| RJ 12 Cable | Yes | Yes | Yes | Yes | Yes |
| Power Cable | Yes | Yes | Yes | Yes | Yes |
| **VESA** | | | | | |
| Dimensions (mm) | 75 X 75 | 200 X 100 | 200 X 200 | 200 X 200 | 200 X 200 |
| Screw Size | M4 | M4 | M6 | M6 | M6 |
| **System** | | | | | |
| DTV Reception (DVB-T/T2/C/S2) | DVB-T/C | DVB-T/C | DVB-T/C | DVB-T/C | DVB-T/C |
| **Power** | | | | | |
| Power | AC100~240V 50/60Hz | AC100~240V 50/60Hz | AC100~240V 50/60Hz | AC100~240V 50/60Hz | AC100~240V 50/60Hz |
| Power Consumption (Watts) | 55W | 90W | 120W | 160W | 190W |
| Standby Power Consumption (Watts) | 0.54W | 0.63W | 0.63W | 0.63W | 0.61W |
| **Energy Saving Mode Power Consumption (Watts)** | | | | | |
| Off (Watts) | 42 | 65 | 87 | 116 | 124 |
| Low | 31 | 47 | 59 | 76 | 80 |
| Medium | 27 | 40 | 47 | 60 | 64 |
| High | 22 | 33 | 35 | 44 | 47 |
| **Security** | | | | | |
| Kensington Lock | Yes | Yes | Yes | Yes | Yes |

Planet First | Full HD 1080p | HDTV | HYPER REAL ENGINE | DNIe+ | Wide Color Enhancer Plus | Mega dynamic contrast | Movie | Anynet+

# LCD TV SERIES 4 452/453
## 19"/ 22"/ 26"/ 32"

### Enjoy all the benefits of HDTV

From its sleek exterior to the HD picture quality, it will be love at first sight for the LCD 4 Series 452/453. Available in black and white, the 4 Series 452/453 will change the way you and your guests think about televisions. With everything you'd expect from an HDTV, like HD picture quality and multimedia connectivity, it's perfect for the guest who's on the go and will ensure that they leave their room satisfied every time.

**Hospitality Feature**
• Bathroom Speaker Out
• Jack Pack Compatible (TeleAdapt)

**TV Generic Feature**
• HD
• DNIe™
• White Color Bezel (C453)
• ConnectShare™ Movie

| Model | LCD TV SERIES 4 452/453 | | | |
|---|---|---|---|---|
| | 19" | 22" | 26" | 32" |
| **Basic Info** | | | | |
| Model Code | LE19C452C4H / LE19C453C4H (White) | LE22C452C4H / LE22C453C4H (White) | LE26C452C4H / LE26C453C4H (White) | LE32C452C4H / LE32C453C4H (White) |
| **Video** | | | | |
| HD/FHD | HD | HD | HD | HD |
| Resolution | 1366 X 768 | 1366 X 768 | 1366 X 768 | 1366 X 768 |
| Response Time | 5ms | 5ms | 8ms | 6.5ms |
| Viewing angle (H/V) | 170/160 | 170/170 | 178/178 | 178/178 |
| Backlight | CCFL | CCFL | CCFL | CCFL |
| Dynamic Contrast Ratio | 20,000:1 | 20,000:1 | 40,000:1 | 60,000:1 |
| Brightness | 250cd/m² | 350cd/m² | 400cd/m² | 450cd/m² |
| **Audio** | | | | |
| Output | 2 X 3W | 2 X 3W | 2 X 5W | 2 X 10W |
| Dolby | Dolby Digital Plus / Dolby Pulse | Dolby Digital Plus / Dolby Pulse | Dolby Digital Plus / Dolby Pulse | Dolby Digital Plus / Dolby Pulse |
| Surround | No | No | No | No |
| Headphone Out | 10mW Max | 10mW Max | 10mW Max | 10mW Max |
| Bathroom Speaker Out | - | - | 2.5W Mono | 2.5W Mono |
| **Feature** | | | | |
| Picture Engine | DNIe+ | DNIe+ | DNIe+ | DNIe+ |
| Sleep Timer | Yes | Yes | Yes | Yes |
| Auto TV On | Yes | Yes | Yes | Yes |
| Teletext | 1000P Mega TTX | 1000P Mega TTX | 1000P Mega TTX | 1000P Mega TTX |
| Internet@TV | No | No | No | No |
| ConnectShare™ Movie | Movie | Movie | Movie | Movie |
| Auto Channel Search | Yes | Yes | Yes | Yes |
| Auto Volume Leveller | Yes | Yes | Yes | Yes |
| Swivel (left/right) | No | No | No | No |
| OSD Language | 25 Languages (Europe) | 25 Languages (Europe) | 25 Languages (Europe) | 25 Languages (Europe) |
| **Input & Output (SIDE)** | | | | |
| Headphone | - | - | - | - |
| S-Video | - | - | - | - |
| Composite AV | - | - | 1 | 1 |
| USB | - | - | 1 | 1 |
| CI Slot | 1 | 1 | 1 | 1 |
| HDMI | - | - | 1 | 1 |
| **Input & Output (REAR)** | | | | |
| RF Input | 1 | 1 | 1 | 1 |
| Component (Y/Pb/Pr) | 1 | 1 | 1 | 1 |
| Headphone (Earphone) | 1 | 1 | 1 | 1 |
| Scart | 1 | 1 | 1 | 1 |
| Composite (AV) | - | - | - | - |
| HDMI | 1 | 1 | 2 | 2 |
| CI Slot | - | - | - | - |
| USB | - | - | - | - |
| PC D-sub | 1 | 1 | 1 | 1 |
| PC Audio Jack | 1 | 1 | 1 | 1 |
| Audio Out (line Out) | - | - | 1 | 1 |
| Audio Out (Variable Out) BathroomSPK | - | - | 1 | 1 |
| Optical sound out | - | - | - | - |
| RJ12 For External Control | 1 | 1 | 1 | 1 |
| DC-out Jack | - | - | - | - |
| **Hospitality Feature** | | | | |
| Hotel Mode | Yes | Yes | Yes | Yes |
| Hotel Mode Plug & Play | Yes | Yes | Yes | Yes |
| Music Mode (Input: PC/AV/Component) | Yes | Yes | Yes | Yes |
| Music Mode Backlight on/off | Yes | Yes | Yes | Yes |
| Audio Loop in (Headphone extension) | - | - | Yes | Yes |
| 12V and 5V Power Supply for Set Top box | - | - | - | - |
| Hotel TV (RJ12 / IR pass through) | Interactive | Interactive | Interactive | Interactive |
| Clock (PMOLED Type) | - | - | - | - |
| PMOLED Clock Dimming Control | - | - | - | - |
| PMOLED Clock Back Up Supply | - | - | - | - |
| TTX Clock Update (Analogue) | - | - | - | - |
| Power On Status Setting (Master) | Yes | Yes | Yes | Yes |
| Jack Pack Compatibility | - | - | Yes | Yes |
| USB Cloning | Yes | Yes | Yes | Yes |
| Bathroom Speaker output | - | - | Yes | Yes |
| Multi Code Remote | Yes | Yes | Yes | Yes |
| Screwed Battery Cover | Yes | Yes | Yes | Yes |
| Channel List | Standalone | Standalone | Standalone | Standalone |
| Alarm Key | Standalone | Standalone | Standalone | Standalone |
| Mixed channel list (DVB T/C) | Standalone | Standalone | Standalone | Standalone |
| Hotel logo display with time out setting | Yes | Yes | Yes | Yes |
| Auto PC mode | Yes | Yes | Yes | Yes |
| Energy Saving Mode (BLU control) | Yes | Yes | Yes | Yes |
| **Dimension** | | | | |
| Weight (Set) With Stand | 4.8 | 6.8 | 8.5 | 10.7 |
| Weight (Set) Without Stand | 4.2 | 5.4 | 7.1 | 9.1 |
| Dimensions (WxDxH)mm With Stand | 477.1 X 180.2 X 362.2 | 557.8 X 215.9 X 425.9 | 669.7 X 215.9 X 495.1 | 799.6 X 252 X 577 |
| Dimensions (WxDxH)mm Without Stand | 477.1 X 65.0 X 326.9 | 557.8 X 75.5 X 384.1 | 669.7 X 75.3 X 455.0 | 799.6 X 84.8 X 530.5 |
| **Accessory** | | | | |
| Remote Control | Yes (452) / - (453) | Yes (452) / - (453) | Yes (452) / - (453) | Yes (452) / - (453) |
| Seamless RC (White Remote) | - (452) / Yes (453) | - (452) / Yes (453) | - (452) / Yes (453) | - (452) / Yes (453) |
| Installation manual (Quick guide) | Yes | Yes | Yes | Yes |
| Batteries, AAA type | Yes | Yes | Yes | Yes |
| ANT- Cable | No | No | No | No |
| RJ 12 Cable | Yes | Yes | Yes | Yes |
| Power Cable | Yes | Yes | Yes | Yes |
| **VESA** | | | | |
| Dimensions (mm) | 75 X 75 | 75x75 | 200 X 100 | 200x200 |
| Screw Size | M4 | M4 | M4 | M6 |
| **System** | | | | |
| DTV Reception (DVB-T/T2/C/S2) | DVB-T/C | DVB-T/C | DVB-T/C | DVB-T/C |
| **Power** | | | | |
| Power | AC100~240V 50/60Hz | AC100~240V 50/60Hz | AC100~240V 50/60Hz | AC100~240V 50/60Hz |
| Power Consumption (Watts) | 35W | 55W | 90W | 120W |
| Standby Power Consumption (Watts) | 0.32W | 0.32W | 0.43W | 0.43W |
| **Energy Saving Mode Power Consumption (Watts)** | | | | |
| Off (Watts) | 30 | 42 | 65 | 87 |
| Low | 24 | 31 | 47 | 59 |
| Medium | 22 | 27 | 40 | 47 |
| High | 19 | 22 | 33 | 35 |
| **Security** | | | | |
| Kensington Lock | Yes | Yes | Yes | Yes |

# LCD TV SERIES 3 350 22"/ 26"/ 32"

## An HDTV experience that's within reach

Don't be fooled by the unassuming exterior of the LCD 3 Series 350. While it's beautifully designed exterior will charm you, it's the interior that will amaze you. Just like any other premium HDTV, it boasts HD picture quality along with enhanced multimedia connectivity. And with all of its hospitality features, the 3 Series 350 will leave you a happy customer as well.

**Hospitality Feature**
· Hotel Logo(BMP)

**TV Generic Feature**
· HD

| Model | LCD TV SERIES 3 350 | | |
|---|---|---|---|
| | 22" | 26" | 32" |
| **Basic Info** | | | |
| Model Code | LE22C350D1H | LE26C350D1H | LE32C350D1H |
| **Video** | | | |
| HD/FHD | HD | HD | HD |
| Resolution | 1366 X 768 | 1366 X 768 | 1366 X 768 |
| Response Time | 1.3ms | 8.5ms | 8.5ms |
| Viewing angle (H/V) | 170/170 | 176/176 | 176/176 |
| Backlight | CCFL | CCFL | CCFL |
| Dynamic Contrast Ratio | 20,000:1 | 20,000:1 | 20,000:1 |
| Brightness | 300cd/m² | 350cd/m² | 350cd/m² |
| **Audio** | | | |
| Output | 2 X 3W | 2 X 5W | 2 X 5W |
| Dolby | Dolby Digital Plus / Dolby Pulse | Dolby Digital Plus / Dolby Pulse | Dolby Digital Plus / Dolby Pulse |
| Surround | No | No | No |
| Headphone Out | - | - | - |
| Bathroom Speaker Out | - | - | - |
| **Feature** | | | |
| Picture Engine | DNIe+ | DNIe+ | DNIe+ |
| Sleep Timer | Yes | Yes | Yes |
| Auto TV On | Yes | Yes | Yes |
| Teletext | 1000P Mega TTX | 1000P Mega TTX | 1000P Mega TTX |
| Internet@TV | No | No | No |
| ConnectShare™ Movie | JPEG | JPEG | JPEG |
| Auto Channel Search | Yes | Yes | Yes |
| Auto Volume Leveller | Yes | Yes | Yes |
| Swivel (left/right) | No | No | No |
| OSD Language | 25 Languages (Europe) | 25 Languages (Europe) | 25 Languages (Europe) |
| **Input & Output (SIDE)** | | | |
| Headphone | - | - | - |
| S-Video | - | - | - |
| Composite AV | - | - | - |
| USB | - | - | - |
| CI Slot | 1 | 1 | 1 |
| HDMI | - | - | - |
| **Input & Output (REAR)** | | | |
| RF Input | 1 | 1 | 1 |
| Component (Y/Pb/Pr) | 1 | 1 | 1 |
| Headphone (Earphone) | - | - | - |
| Scart | 1 | 1 | 1 |
| Composite (AV) | 1 | 1 | 1 |
| HDMI | 1 | 1 | 1 |
| CI Slot | - | - | - |
| USB | - | 1 | 1 |
| PC D-sub | 1 | 1 | 1 |
| PC Audio Jack | 1 | 1 | 1 |
| Audio Out (line Out) | - | - | - |
| Audio Out (Variable Out) BathroomSPK | - | - | - |
| Optical sound out | - | - | - |
| RJ12 For External Control | - | - | - |
| DC-out Jack | - | - | - |
| **Hospitality Feature** | | | |
| Hotel Mode | Yes(Standalone) | Yes(Standalone) | Yes(Standalone) |
| Hotel Mode Plug & Play | Yes | Yes | Yes |
| Music Mode (Input: PC/AV/Component) | Yes | Yes | Yes |
| Music Mode Backlight on/off | Yes | Yes | Yes |
| Audio Loop in (Headphone extension) | - | - | - |
| 12V and 5V Power Supply for Set Top box | - | - | - |
| Hotel TV (RJ12 / IR pass through) | - | - | - |
| Clock (PMOLED Type) | - | - | - |
| PMOLED Clock Dimming Control | - | - | - |
| PMOLED Clock Back Up Supply | - | - | - |
| TTX Clock Update (Analogue) | - | - | - |
| Power On Status Setting (Master) | Yes | Yes | Yes |
| Jack Pack Compatiblity | - | - | - |
| USB Cloning | Yes | Yes | Yes |
| Bathroom Speaker output | - | - | - |
| Multi Code Remote | No | No | No |
| Screwed Battery Cover | No | No | No |
| Channel List | Yes | Yes | Yes |
| Alarm Key | - | - | - |
| Mixed channel list (DVB T/C) | Yes | Yes | Yes |
| Hotel logo display with time out setting | Yes | Yes | Yes |
| Auto PC mode | Yes | Yes | Yes |
| Energy Saving Mode (BLU control) | Yes | Yes | Yes |
| **Dimension** | | | |
| Weight (Set) With Stand | 4.2 | 6.1 | 7.6 |
| Weight (Set) Without Stand | 3.9 | 5.7 | 7.1 |
| Dimensions (WxDxH)mm With Stand | 535.3 X 171.8 X 420.9 | 673.3 X 222.2 X 513.4 | 795.3 X 247.2 X 585.3 |
| Dimensions (WxDxH)mm Without Stand | 535.3 X 85.5 X 365.8 | 673.3 X 65.6 X 456 | 795.3 X 65.6 X 525.8 |
| **Accessory** | | | |
| Remote Control | Yes | Yes | Yes |
| Seamless RC (White Remote) | - | - | - |
| Installation manual (Quick guide) | Yes | Yes | Yes |
| Batteries, AAA type | Yes | Yes | Yes |
| ANT- Cable | No | No | No |
| RJ 12 Cable | No | No | No |
| Power Cable | Yes | Yes | Yes |
| **VESA** | | | |
| Dimensions (mm) | 75 X 75 | 200 X 100 | 200 X 200 |
| Screw Size | M4 | M4 | M6 |
| **System** | | | |
| DTV Reception (DVB-T/T2/C/S2) | DVB-T/C | DVB-T/C | DVB-T/C |
| **Power** | | | |
| Power | AC100~240V 50/60Hz | AC100~240V 50/60Hz | AC100~240V 50/60Hz |
| Power Consumption (Watts) | 55W | 80W | 120W |
| Standby Power Consumption (Watts) | 0.53W | 0.36W | 0.67W |
| **Energy Saving Mode Power Consumption (Watts)** | | | |
| Off (Watts) | 36 | 64 | 74 |
| Low | 26 | 47 | 54 |
| Medium | 22 | 40 | 46 |
| High | 18 | 32 | 37 |
| **Security** | | | |
| Kensington Lock | Yes | Yes | Yes |

# Hospitality TV Contact Information

| Area | Country | Telephone | Email Address |
|---|---|---|---|
| Europe | Europe | +44 778 897 8346 | v.lallemand@samsung.com |
| | Greece | +30 210 689 6235 | v.tsamouras@samsung.com |
| | Austria | +43 1 5161 5483 | e.fink@samsung.com |
| | Netherlands | +31 15 219 61 00 | d.hulst@samsung.com |
| | France | +33 1 4921 7142 | c.audebert@samsung.com |
| | Germany | +49 6196 661 619 | s.baumeister@samsung.com |
| | Italy | +800 7267864 | sei.hoteltv@partner.samsung.com |
| | Sweden | +45 61226600 | henrik.lehd@samsung.com |
| | Portugal | +351 926487328 | c.moreira@samsung.com |
| | Poland | +48 22 60745 40 | k.piotrowski@samsung.com |
| | Spain | +34 650720694 | alvaro.y@samsung.com |
| | U.K | +44 778 897 8349 | ben.haslam@samsung.com |
| L. America | Columbia | +57 313 859 191 | lyda.gomez@samsung.com |
| | Argentina | +54 11 4109 4061 | lionjang@samsung.com |
| | Chile | +56 2 485 8517 | luis.cea@samsung.com |
| | Brazil | +55 11 5644 2818 | d.ribeiro@samsung.com |
| | Panama | +507 6550 1899 | i.altamirano@samsung.com |
| | Peru | +51 1 7611 4857 | pedraza.j@samsung.com |
| | Mexico | +52 1 55 2727 9698 | j.guillen@samsung.com |
| N. America | USA | +1 201 229 4092 | rmcentee@sea.samsung.com |
| | Canada | +1 514 246 8869 | r.monette@samsung.com |
| M.E Africa | Egypt | +20 2 2528 5970 | tarek.s@samsung.com |
| | Turkey | +90 212 336 5433 | zeynep.m@samsung.com |
| | Saudi Arabia | +96 6 26 650 940 | omar.r@samsung.com |
| | UAE(Dubai) | +97 1 4364 8600/8611 | sachin.som@samsung.com |
| | South Africa | +27 82 532 4918 | gareth.s@samsung.com |
| S.E Asia | Singapore | +65 6833 3322 | a.leong@samsung.com |
| | Vietnam | +84 8 8211 1111 | hung.pham@samsung.com |
| | Austraila | +61 2 9763 9952 | s.meighan@samsung.com |
| | New Zealand | +64 9 477 5684 | tura.g@samsung.com |
| | Philippines | +63 2 214 7639 | dong.431.aba@samsung.com |
| | Malaysia | +60 3 2263 6758 | amber.loh@samsung.com |
| | Thailand | +66 2 695 9037 | pongtawat.k@samsung.com |
| | Indonesia | +62 813 998 8770 | pepen@samsung.com |
| S.W Asia | India | +91 11 5151 1234 | puneet.sethi@samsung.com |
| China | China(Beijing) | +86 10 6568 9988 (1506) | qs.j@samsung.com |
| | China(Beijing) | +86 10 6522 1855 (6513) | siwen.zhao@samsung.com |
| | China(Chengdu) | +86 28 8665 8855 | jianz.zou@samsung.com |
| | China(Guangzhou) | +86 20 8393 6588 | toly.wang@samsung.com |
| | China(Shanghai) | +86 21 5464 4777 (2513) | liming.luo@samsung.com |
| | China(Shenyang) | +86 24 2281 3838 (4554) | zichao.liu@samsung.com |
| | Taiwan | +886 2 6603 5176 | judy.hsu@samsung.com |
| | Hong Kong | +852 2127 6731 | kenneth.li@samsung.com |
| CIS | Russia | +7 985 763 9538 | osokin.v@samsung.com |
| | Ukraine | +380 50 447 8624 | andriy.b@samsung.com |
| | Kazakhstan | +7 701 786 0883 | r.karabay@samsung.com |
| Korea | Korea | +82 2 2023 6441 | sjccommue@samsung.com |

# Memo